

FinishPro™

Electric Air-Assisted Airless Sprayer with On-Board Air Compressor



PROFESSIONAL ADVANTAGES

- 2 in 1
Combine the advantages of Air-Assisted Airless and Airless spraying with one unit
Top finishing at high speed, without dilution of fine finish materials
- On-board compressor
Design optimised to the needs of the sprayer
Provides high output in compact size
- Compact sprayer design
More flexibility saving set-up and transport time

Fine Finish Applications

FinishPro™ 290 - FinishPro™ 390 - FinishPro™ 395



FinishPro™

Top finishing at airless speed!

The FinishPro offers a high-quality finish at a high production rate. The FinishPro 290 fits perfectly as a professional fine finish unit whereas the FinishPro 390/395 handles the most challenging materials.

Just "Plug and Spray"

With its on-board compressor, the FinishPro is a ready-to-go electric powered air-assisted sprayer. You are no longer restrained to plan your spraying at a fixed booth location.

2 in 1 "Airless pump and compressor"

- Being self-contained, the FinishPro is only one machine: no extra compressor to consider, saving space, set-up time and transport
- The ideal multi-function sprayer for intensive fine finish work

More speed?

With the flip of one switch, the finisher turns into a regular airless sprayer

Tough coatings?

With its piston pump and high pressure ability, waterbornes are no problem.



The G40 (FP390/395) Gun a 'standard' in it's market segment, has an ultra light trigger pull with additional air fan regulation. The very light AA30 gun, with large contractor filter and quick air shut-off valve comes standard with the FinishPro 290.



On-Board Air Compressor

Graco designed and manufactured. Provides high output in a compact design. Delivers up to 2 l/min at 2.5 bar (FinishPro 395). Enough air to break up the heaviest materials supplied by the field proven Endurance™ pump. No external compressor needed, saving place, labour and time.



Single Selector Switch

Simple colour-coded labels easily identify air-assisted airless or airless mode. One „click“ and off you go.



Pump - Graco's Proven Piston Pump

The pump is the most important component of the sprayer and is where Graco's expertise shows. All FinishPro air-assisted airless sprayers come with piston pumps for unmatched performance. The FinishPro 390 and FinishPro 395 come with Endurance™ pumps which have V-Max™ blue packings and Chromex™ rods – for extended life.

Piston pump benefits:

Allows consistent priming and pumping of even the heaviest materials – without thinning. QuikAccess™ intake valve makes cleaning or clearing debris easy.




FinishPro™ 395 - FinishPro™ 390 - FinishPro™ 290

Materials & Applications

The FinishPro™ is the ideal unit for larger fine finish jobs.

The FinishPro™ has been tested and approved to spray a wide range of lacquers, acrylic, primers, enamels, varnishes and acrylic interior paints, out of the bucket.

The ideal unit for renovation of cabinets, lighting features, shutters, fences, trims, stairs, staircases, or for painting doors, walls, decks and ceilings.



Large Contractor sized Filter

Fine mesh filter results in a superior finish. Large size for extended spraying.

Fluid Swivel

Built-in in handle

Optimized Air Cap

Air passages adapted to the tip to deliver air closer to the tip, result in a softer, more consistent pattern from start to finish.

Quick Air Shut Off Valve

Allows user to quickly and easily shut off the air to the air cap while retaining the air valve setting

Air Adjustment Valve

Conveniently located at the gun

Adapt the tip to the job

For AIRLESS spraying, Graco developed the breakthrough RAC X, reversible tip option. Unclog your tip with a simple twist of the tip. No longer dismantle your tip for cleaning. Install a green tip with dual orifice for airless spraying of lacquers. Select a blue tip for airless spraying of paints.

Spraying AIR-ASSISTED AIRLESS, the AAM flat tip delivers optimal performance. Use air-assisted airless technology for spraying lacquers and the finish of your sprayed surface will look perfect.



RAC X™



AAM

www.graco.be

GOOD TO KNOW

AIR-ASSISTED AIRLESS VERSUS AIRLESS

AIR-ASSISTED AIRLESS

When spraying air-assisted airless, material is delivered to the gun at pressure lower than traditional airless (50-110 bar) and is partially atomised by the tip. Full atomisation is achieved by adding a small amount of air to the edges of the spray fan.

BENEFIT

Air-assisted airless spraying results in a softer pattern, more control, higher efficiency and ... less overspray, almost at speed of an airless unit.



AIRLESS

When spraying airless, fluid gets transferred from your paint bucket to the gun, simply by putting the paint under pressure (160-230 bar), using an airless pump.

BENEFIT


Airless spraying is fast and paints can be sprayed without thinning.

! TIP

Use airless technology for a very fast professional finish. If a top finish quality of superior level is required, use air-assisted airless technology.

Graco's Exclusive Air Cap Design

This revolutionary air cap has been optimized for use with reversible spray tips and with flat tips as well. It's air passages are positioned at precise locations to bring the air closer to the tip. Graco's design delivers a soft and consistent spray fan from start to finish.








FinishPro™ Accessories






Get the most out of your equipment, using our professional accessories

Improve your finishing quality

Guns

-  257380 AA30™ Gun, AAM309 tip and guard, 100 mesh gun filter, air adjustment valve
-  257096 AA30 gun, air-assisted airless gun, RAC X FFT210 SwitchTip, 100 mesh gun filter, air adjustment valve
-  289604 G40™, Green FFA210 RAC X™ tip and guard, 100 mesh tip filter, fan adjustment

Gun Filters + Strainers

-  218131 AA30 gun filter, blue, 50 mesh
-  218133 AA30 gun filter, orange, 100 mesh
-  256975 AA30 gun filter, red, 150 mesh
-  224454 G40 gun filter, 60 mesh (5-pack)
-  224453 G40 gun filter, 100 mesh (5-pack)

FinishPro 290 Easy Out Manifold Filter:

257094 40 mesh

FinishPro 390/395 Easy Out Manifold Filter:

246384 Black, 60 mesh


246382 Black, 100 mesh

246383 Black, 200 mesh


FinishPro 390/395:

246385 Pump inlet strainer

Hoses - FinishPro 290

-  FlexPro, strapped hose, BlueMax II 3/16" x 7.5 m airless hose + 3/8" x 7.5 m air hose
- 256976 to replace standard hose
- 257520 to extend standard hose




Hoses - FinishPro 390/395

-  288621 FlexPro, welded hose, BlueMax II 3/16" x 7.5 m airless hose + 3/8" x 7.5 m air hose
- 288620 FlexPro, welded Hose, BlueMax II 3/16" x 15 m airless hose + 3/8" x 15 m air hose


Hoppers 5.7 liter

-  24B250 Hopper assembly - FinishPro 290
- 288526 Hopper Assembly - FinishPro 390/395

Tips & Guards

-  FFAXXX Green RAC X™ fine finish tip
-  PAAXXX Blue RAC X™ professional airless tip
-  AAMXXX Flat AA tip with SST body
- 288839 RAC X air cap (AA30 & G40 gun)
- 288514 Flat tip conversion kit – G40 Gun
- 249256 Guard for AAM flat tip (AA30 & G40 gun)
- 249180 Air cap for AAM flat tip (AA30 & G40 gun)
- 257521 RAC X conversion kit - AA30 gun
- 288465 8 holes AAA guard for RAC X reversible tips
- 248936 RAC X solvent tip, gasket (orange) x 5
- 15A981 RAC X seat
- 162863 Thick tip gasket
- 223373 Thin tip gasket (25 x 166969)
- 223374 Thick tip gasket (25 x 162863)

Cleaning and maintenance

-  289535 Water separator kit – Use on FinishPro 390/395 air line
- 119799 Cleaning brush
- 289108 Severe solvents suction set – Use on FinishPro 395
- 257164 Air pressure control kit - FinishPro 290

Looking for more detailed info? See our Airless Accessories brochure 300672

FinishPro™

READY TO SPRAY, the FinishPro™ ships with:

- On-board compressor (0.745 kW)
 - Air-Assisted Airless gun, including air cap
 - Bonded hose 7.5 meter (3/16" fluid and 3/8" air) with connections
 - Tips & Guards:
FinishPro 390/395: green FFA210 RAC X tips and guard, flat tip conversion kit with AAM309 tip and guard
FinishPro 290: AAM309 flat tip and guard
 - Standard set-up tools
- Details see table

Find this unit at:

Specifications



	FinishPro™ 290	FinishPro™ 390	FinishPro™ 395
Part Numbers:	for Euro version - 220 V for Multi Cord version for UK - 110 V	256843* - 257411** 256844* - 257412** 256845* - 257413**	255110*** 255112*** 255114***
Max. Tip Size	0.017" (0.017")	0.021" (0.019")	0.023" (0.021")
Max. Fluid Flow - l/min. (gpm)	1.3 - (0.43)	1.8 - (0.43)	2.0 - (0.47)
Max. Pressure - bar (PSI)	180 - (2600)	225 - (3300)	225 - (3300)
Weight kg (lb)	30 (68)	43 (72)	45 (78)
DC Motor - W	400	460	650
Atomizing Air Output - l/min. (cfm)	90 (2.9)	90 (2.9)	90 (2.9)
Max. Air Working Pressure - bar (PSI)	2.4 (35)	2.4 (35)	2.4 (35)
Gun	AA30	G40	G40
Control	mechanical	mechanical	digital
Air Regulation	gun	gun	gun & unit
Whip Hose	yes	yes (coiled)	yes (coiled)

* Hi-Boy version, ** Compact version, *** Lo-Boy version