

ULTRA[®] MAX II Platinum

Graco's top of the line Professional Airless Sprayers



www.graco.be

PLATINUM ADVANTAGES

- Integrated hose reel. Start your spraying job faster and go home sooner without the hassles of hose handling.
- Precise pressure control at the end of your hose. Fine-tune or shut down your sprayer from wherever you are spraying. Finer finish and reduced overspray (thus, wasted paint).
- E-Lock[™] theft-deterrent. Just like with your car. Lock your sprayer while unattended. Will discourage any thieves.

Professional Airless Applications

ULTRA[®] MAX II 695 PLATINUM - ULTRA[®] MAX II 795 PLATINUM - ULTRA[®] MAX II 1095 PLATINUM



ULTRA® MAX II Platinum

You asked ... we listened

The Ultra® Max family is Graco's most popular electric airless paint sprayer for professionals!

Ultra® Max stands for high performance and reliability. With over 25 years experience of proven quality and unmatched on-the-job productivity, professionals ask for Ultra's.

The Ultra® Max II Platinum

Our latest flagship, the ULTRA® MAX II Platinum, is a combination of Graco's unwavering commitment for technical excellence and the drive to design solutions, exceeding professional painting contractor standards!

We have done the impossible and built-in even more performance, longer life, increased performance and better user features. We strive to make your work easier and more comfortable, keeping you in good shape, even after a whole day of work at the jobsite!



E-Control™

The wireless pressure remote Control, attached to the hose, allows you to adjust pressure at any time without having to approach the unit. Robust, waterproof, solid design with 45 m reach.



E-Lock™

Electronically locks your sprayer to deter theft of your valued Platinum sprayer. One E-Lock key can be programmed to lock several Platinum sprayers. Several E-Lock keys can be programmed for one Platinum sprayer. Manual coding is possible in case you lose or forget your E-Lock key. Just don't forget your E-Lock code!

A red light alerts others that your Platinum sprayer is E-Locked!

E-Lock keys (x2) sold separately



AutoClean™ 2 + Heavy Duty Prime Valve

Now fully automated. Connect your gun and switch the HD prime valve to the AutoClean position. The system will do the rest: while you start other cleaning activities, the system cleans gun, hose, filters and unit independently!

Integrated Hose Reel

Special layout design. Roll out and up in a few seconds up to 45 m hose, giving an autonomy to spray in a range of 90 m without transporting the unit. Holds: 90 m (1/4") / 60 m (3/8")



Materials & Applications

The ULTRA® MAX II Platinum is the ideal unit for medium to large painting jobs, inside as well as outside! Your most reliable buddy for renovations, new constructions, commercial and residential buildings, exterior facades, new housing projects, etc.

It handles most common tip sizes and heavier coatings with ease! The ULTRA® MAX II Platinum sprays perfectly acrylics, primers, emulsions, waterborne as well as solvent paints.





TiltBack Cart Design

Sprayer kick stand allows convenient, one person bucket change and facilitates cleaning and maintenance of your pump.



WatchDog™

Increase the lifetime of your pump!
The WatchDog system automatically shuts off the sprayer when the bucket is empty, avoiding excessive wear!

Endurance™ Pump

Graco's proven and reliable piston pump technology with LongLife-V packings. QuickAccess™ intake valve to easily clean or clear debris.



GOOD TO KNOW



PROCONNECT™ —

NO TOOLS PUMP REMOVAL SYSTEM

DOWNTIME COSTS YOU MONEY!

The ProConnect pump removal system makes it easy to swap Endurance™ pump fast and easy. In a few seconds, on the job site, without any tools. Exclusive on the Ultra® Max II 1095 Platinum only. Just like with your car. Keep a spare!



-> WWW.PRO-CONNECT.EU

L.O.K. (LOW OVERSPRAY KIT)

Did you know hardly 5% of outside facades get sprayed? Main reason: possible damage due to overspray.

Use the L.O.K. system, minimizing overspray to the limit and doubling the usability of your sprayer. With Graco's L.O.K. system, you can now spray almost all outside projects! Spray and roll, and save up to 50% time, using this innovative system.



-> WWW.OFSBYGRACO.EU

! TIP

Use your L.O.K. system in combination with the E-Control, setting your pressure at the scaffolding to always spray under the best circumstances!

www.graco.be

The smartest SmartControl-E™

The digital SmartControl-E continually monitors how you spray and adjusts the pump's functioning in less than one second. Even with multiple guns, there is no delay in waiting for your sprayer to catch up and to keep your spray pattern consistent.

This smart brain coordinates all electronic devices such as the AutoClean™ timer, WatchDog™, E-Lock™, wireless pressure E-control™, (life time) gallon counter, error coding and pressure rating. Simple, just by one button.





FinishPro™ Accessories

Get the most out of your equipment, using our professional accessories

Improve your finishing quality

Guns



- 257380 AA30™ Gun, AAM309 tip and guard, 100 mesh gun filter, air adjustment valve
- 257096 AA30 gun, air-assisted airless gun, RAC X FFT210 SwitchTip, 100 mesh gun filter, air adjustment valve
- 289604 G40™, Green FFA210 RAC X™ tip and guard, 100 mesh tip filter, fan adjustment



Gun Filters + Strainers



- 218131 AA30 gun filter, blue, 50 mesh
- 218133 AA30 gun filter, orange, 100 mesh
- 256975 AA30 gun filter, red, 150 mesh
- 224454 G40 gun filter, 60 mesh (5-pack)
- 224453 G40 gun filter, 100 mesh (5-pack)

FinishPro 290 Easy Out Manifold Filter:

- 257094 40 mesh

FinishPro 390/395 Easy Out Manifold Filter:

- 246384 Black, 60 mesh
- 246382 Black, 100 mesh
- 246383 Black, 200 mesh



FinishPro 390/395:

- 246385 Pump inlet strainer

Hoses - FinishPro 290



- FlexPro, strapped hose, BlueMax II 3/16" x 7.5 m airless hose + 3/8" x 7.5 m air hose
- 256976 to replace standard hose
- 257520 to extend standard hose

Hoses - FinishPro 390/395



- 288621 FlexPro, welded hose, BlueMax II 3/16" x 7.5 m airless hose + 3/8" x 7.5 m air hose
- 288620 FlexPro, welded Hose, BlueMax II 3/16" x 15 m airless hose + 3/8" x 15 m air hose



Hoppers 5.7 liter

- 24B250 Hopper assembly - FinishPro 290
- 288526 Hopper Assembly - FinishPro 390/395

Tips & Guards



- FFAXXX Green RAC X™ fine finish tip
- PAAXXX Blue RAC X™ professional airless tip
- AAMXXX Flat AA tip with SST body
- 288839 RAC X air cap (AA30 & G40 gun)
- 288514 Flat tip conversion kit - G40 Gun
- 249256 Guard for AAM flat tip (AA30 & G40 gun)
- 249180 Air cap for AAM flat tip (AA30 & G40 gun)
- 257521 RAC X conversion kit - AA30 gun
- 288465 8 holes AAA guard for RAC X reversible tips
- 248936 RAC X solvent tip, gasket (orange) x 5
- 15A981 RAC X seat
- 162863 Thick tip gasket
- 223373 Thin tip gasket (25 x 166969)
- 223374 Thick tip gasket (25 x 162863)



Cleaning and maintenance



- 289535 Water separator kit - Use on FinishPro 390/395 air line
- 119799 Cleaning brush
- 289108 Severe solvents suction set - Use on FinishPro 395
- 257164 Air pressure control kit - FinishPro 290



Looking for more detailed info? See our Airless Accessories brochure 300672


FinishPro™

READY TO SPRAY, the FinishPro™ ships with:

- On-board compressor (0.745 kW)
 - Air-Assisted Airless gun, including air cap
 - Bonded hose 7.5 meter (3/16" fluid and 3/8" air) with connections
 - Tips & Guards:
FinishPro 390/395: green FFA210 RAC X tips and guard, flat tip conversion kit with AAM309 tip and guard
FinishPro 290: AAM309 flat tip and guard
 - Standard set-up tools
- Details see table

Find this unit at:

Specifications



	FinishPro™ 290	FinishPro™ 390	FinishPro™ 395
Part Numbers:	for Euro version - 220 V for Multi Cord version for UK - 110 V	256843* - 257411** 256844* - 257412** 256845* - 257413**	255110*** 255112*** 255114***
Max. Tip Size	0.017" (0.017")	0.021" (0.019")	0.023" (0.021")
Max. Fluid Flow - l/min. (gpm)	1.3 - (0.43)	1.8 - (0.43)	2.0 - (0.47)
Max. Pressure - bar (PSI)	180 - (2600)	225 - (3300)	225 - (3300)
Weight kg (lb)	30 (68)	43 (72)	45 (78)
DC Motor - W	400	460	650
Atomizing Air Output - l/min. (cfm)	90 (2.9)	90 (2.9)	90 (2.9)
Max. Air Working Pressure - bar (PSI)	2.4 (35)	2.4 (35)	2.4 (35)
Gun	AA30	G40	G40
Control	mechanical	mechanical	digital
Air Regulation	gun	gun	gun & unit
Whip Hose	yes	yes (coiled)	yes (coiled)

* Hi-Boy version, ** Compact version, *** Lo-Boy version